



FOR THE THOROUGHBRED HORSES!



MOTOR OIL



LUKOIL GENESIS range consists of **last generation fully synthetic motor oils**. It is intended for the oil change of cars equipped with the **latest and up to date direct injection gasoline and diesel engines**, including those with turbo for **passenger cars, light trucks and sports cars** manufactured by the market leaders in the automotive industry.

LUKOIL GENESIS LINE

LUKOIL GENESIS are unique synthetic oils designed using innovative molecular technologies taking engines to a new level of protection, reliability and fuel efficiency.

LUKOIL GENESIS series was elaborated on the basis of the experience of an international team of scientists considering the features of modern engines. Each oil in GENESIS line has its specialization and enhanced properties provided due to unique molecular compounds which are confirmed with tests conducted on engines by various manufacturers. New advanced technology used in LUKOIL GENESIS lubricants provides an incredible molecular stability guaranteeing an unprecedentedly reliable protection of engines.

The package includes a series of products targeted at various types of engines considering their design features and operation modes. A series of engine field tests was completed to evidence the conformance of requirements by API, ACEA and OEM producers in order to obtain international approvals and certify the stated properties. The tests were made by leading laboratories from USA and Europe which confirmed the highest quality levels of LUKOIL GENESIS lubricants.



LUKOIL GENESIS SPECIAL VN 5W-30

Synthetic fuel economy low ash engine oil

LUKOIL GENESIS SPECIAL VN 5W-30 is a synthetic, low ash, fuel-economy engine oil perfectly suitable for engines equipped with particulate filter. It is used in Audi, BMW, Mercedes, Porsche, Seat, Skoda, Volkswagen and other modern engines. The advanced additive technology guarantees the longest oil drain intervals, is environmentally friendly and the low SAPS formulation protects the DPF. The oil also offers excellent low temperature properties, which ensures a quick start of the engine in extremely cold temperatures and long periods of use.



Approvals

BMW LL-04

MB-Approval 229.51

VW 504 00/ 507 00

PORSCHE C30

Meets requirements Quality level

ACEA C3

MB 229.31


Fiat 9.55535 S3

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

OM 646 LA (CEC L-099-8)

Test on a four-cylinder Mercedes-Benz 2.2L diesel turbocharged engine. Duration: 300 hours. The test characterizes the overall engine wear: cams, push rods, cylinders, and assesses the piston cleanliness and the sludge formation. Oil sample is taken every 50 hours. **Result:** lower wear of engine parts.

Cylinder wear, μm



LUKOIL GENESIS SPECIAL C1 5W-30

Synthetic high performance engine oil with extremely low-ash content

LUKOIL GENESIS SPECIAL C1 5W-30 is a synthetic high performance engine oil with extremely low-ash content, specially developed for up-to-date MAZDA gasoline and diesel engines with particulate filter. The new low SAPS technology protects the environment as well as the DPF. The reduced high temperature high shear viscosity stands for maximum fuel economy.

Meets requirements Quality level

ACEA C1 **Jaguar Land Rover** STJLR.03.5005
ACEA C2



Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

LUKOIL GENESIS SPECIAL C2 0W-30

Low-ash, synthetic high performance engine oil

LUKOIL GENESIS SPECIAL C2 0W-30 is a low-ash, synthetic, high performance engine oil, specially developed for up-to-date PEUGEOT, CITROEN, HONDA, TOYOTA and IVECO Daily Euro 6 gasoline and diesel engines with particulate filter. It is characterised by its extremely good low temperature behaviour (quick lubrication in cold conditions) and maximum fuel economy.



Meets requirements Quality level

ACEA C2
PSA B71 2312

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

LUKOIL GENESIS SPECIAL C2 5W-30

Low-ash, synthetic high performance engine oil

LUKOIL GENESIS SPECIAL C2 5W-30 is a low-ash, synthetic high performance engine oil, specially developed for up-to-date PEUGEOT, CITROËN, HONDA and TOYOTA gasoline and diesel engines with particulate filter. The mid SAPS technology provides lowest stress and long durability of DPF. It is characterized by maximum protection of the environment and maximum fuel economy.



Meets requirements Quality level

ACEA A1/B1	Fiat 9.55535-S1
ACEA A5/B5	Fiat 9.55535-S3
ACEA C2	Iveco 18-1811 SC1
API CF	PSA B71 2290
API SN	Renault RN 0700

Packs: 1L, 4L, 5L, 20L,
60L, 205L, 1000L

LUKOIL GENESIS SPECIAL C3 5W-30

Low-ash, synthetic engine oil for gasoline and diesel engines with DPF

LUKOIL GENESIS SPECIAL C3 5W-30 is a low-ash, synthetic engine oil for up-to-date gasoline and diesel engines with particulate filter. LUKOIL GENESIS SPECIAL C3 5W-30 can be used in many newer passenger cars, gasoline and diesel engines with DPF, especially for BMW, Mercedes Benz, Opel and Volkswagen. The advanced additive technology provides long oil drain intervals, is environmentally friendly and protects both the engine and the DPF.



Approvals

API SN	MB-Approval 229.51
BMW LL-04	MB-Approval 229.52
GM dexos2	Renault RN 0700/0710

Meets requirements Quality level

ACEA C3	Fiat 9.55535 S3	MB 229.31
API CF	MB 226.5	


Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

OM 646 LA (CEC L-099-8)

Test on a four-cylinder Mercedes-Benz 2.2L diesel turbocharged engine. Duration: 300 hours. The test characterizes the overall engine wear: cams, push rods, cylinders, and assesses the piston cleanliness and the sludge formation. Oil sample is taken every 50 hours.

Result: the indicator is higher - fewer deposits on the pistons.

Piston cleanliness, points



LUKOIL GENESIS SPECIAL C3 5W-40

Low-ash, synthetic engine oil for gasoline and diesel engines with DPF

LUKOIL GENESIS SPECIAL C3 5W-40 is a low-ash, synthetic engine oil for up-to-date gasoline and diesel engines with particulate filter. It can be used in many newer passenger cars, gasoline and diesel engines with DPF, especially for BMW, Mercedes Benz, Opel and Volkswagen. The advanced additive technology guarantees long oil drain intervals, is environmentally friendly and reliably protects both the engine and the particulate filter. It is also recommended for LPG engines requiring low SAPS engine oils.

Approvals

API SN	VW 502 00/505 00/505 01
BMW LL-04	Porsche A40
MB-Approval 229.51	Renault RN 0700/0710

Meets requirements Quality level

ACEA C3	MB 226.5	GM dexos2
API CF	MB 229.31	
Fiat 9.55535 S2	Ford WSS-M2C-917-A	

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L



LUKOIL GENESIS SPECIAL C4 5W-30

Low-ash, synthetic high performance oil

LUKOIL GENESIS SPECIAL C4 5W-30 is a low-ash, synthetic high performance engine oil, specially developed for up-to-date RENAULT and NISSAN gasoline and diesel engines with particulate filter. The new low SAPS technology protects the environment as well as the DPF. With the latest additive technology for maximum engine cleanliness, reduced friction of the moving parts and long life of the engine is ensured.



Approvals

MB-Approval 226.51 **Renault** RN 0720
MB-Approval 229.51

Meets requirements Quality level

ACEA C4


Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

Peugeot TU3M Valve Train Scuffing Test

Test on a four-cylinder gasoline Peugeot engine. Duration: 100 hours. The test is designed to assess the oil ability to prevent scuffing during the engine operation at low and high temperatures.

Result: lower indicator-greater wear protection.

Average camshaft wear, μm



LUKOIL GENESIS SPECIAL A5/B5 0W-30

Synthetic Fuel Economy engine oil especially for VOLVO

LUKOIL GENESIS SPECIAL A5/B5 0W-30 is a new developed synthetic "Fuel Economy" engine oil. It is a specially developed product for VOLVO engines. It allows long maintenance intervals, offering highest operation reliability with high safety reserves and high fuel savings potential. It provides excellent wear protection, excellent flowing properties at very low temperatures.

Approvals

VOLVO 95200377

Meets requirements Quality level

ACEA A1/B1
ACEA A5/B5

API SL
Renault RN 0700



Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L



LUKOIL GENESIS SPECIAL A5/B5 5W-30

Synthetic high performance fuel economy engine oil for FORD

LUKOIL GENESIS SPECIAL A5/B5 5W-30 is a synthetic, fuel economy engine oil for up-to-date FORD gasoline and diesel engines with or without turbo charge. It has been specially developed for the requirements of today's car engines and is best suited for Ford vehicles (Exceptions: Ford KA models built after August 2008, Ford Galaxy 1.9 TDI and Ford Focus RS models built after March 2009). It provides maximum fuel economy, excellent flowing properties at very low temperatures and long oil drain intervals. Due to its low volatility it reduces oil consumption.



Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

Approvals

API SL

Ford WSS-M2C-913-D

Jaguar Land Rover ST JLR.03.5003

Renault RN 0700

Meets requirements Quality level

ACEA A1/B1

ACEA A5/B5

API CF

Ford WSS-M2C-913-A

Ford WSS-M2C-913-B

Ford WSS-M2C-913-C


Iveco 18-1811 S1

M111 Fuel Economy test (CEC L-54-T-96)

Test on a gasoline four-cylinder Mercedes-Benz 2.0L M111 E20 engine. The oil change system used does not require interrupting the engine operation. Absolute fuel consumption is compared to the reference oil.

Result: higher indicator - greater fuel economy.

Fuel economy, %



ACEA A5/B5 limit
LUKOIL GENESIS SPECIAL A5/B5 5W-30

LUKOIL GENESIS SPECIAL VL 0W-20

Low-ash, synthetic high performance engine oil especially for VOLVO

LUKOIL GENESIS SPECIAL VL 0W-20 is a low-ash, synthetic high performance engine oil, specially "developed for Volvos fuel efficient vehicles". It combined smooth running characteristic with a maximum of fuel saving and highest possible power output of the engine. It has a best viscosity setup for smooth running engine oils and maximum fuel economy. It also has excellent cold flow properties and reduces wear.

Approvals

VOLVO VCC-RBS0-2AE

Meets requirements Quality level

ACEA A1/B1

Fiat 9.55535-DSX



Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L



LUKOIL GENESIS SPECIAL FD 0W-30

Synthetic fuel economy engine oil, especially for Ford TDCi Duratorq Euro 6 diesel engines

LUKOIL GENESIS SPECIAL FD 0W-30 is a synthetic, fuel-efficient diesel engine oil that has been especially developed for Ford TDCi Duratorq Euro 6 diesel engines. It provides maximum fuel economy. It protects the engine thanks to its excellent flowing properties at very low temperatures.



Meets requirements Quality level

ACEA C2

Fiat 9.55535-GS1/DS1

Ford WSS-M2C-950-A

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

LUKOIL GENESIS SPECIAL FD 5W-20

Synthetic high performance fuel economy engine oil, especially for Ford EcoBoost engines

LUKOIL GENESIS SPECIAL FD 5W-20 is a new developed synthetic "Fuel Efficiency" gasoline engine oil especially for FORD EcoBoost engines. It can be used for several Ford gasoline engines (exceptions: Ford Ka, Ford Galaxy 2.8 CD V6, year 2000–2006, and Ford Focus RS). The latest additive technology of LUKOIL GENESIS SPECIAL FD 5W-20 guarantees a high keep clean effect of the engine, reduces friction in the engine and therefore provides fuel efficiency, optimal energy saving and lifetime.

Approvals

API SN/SN-RC

Ford WSS-M2C-948-B

Jaguar Land Rover ST JLR.03.5004

Meets requirements Quality level

ACEA A1/B1

ILSAC GF-5

Fiat 9.55535-CR1

Ford WSS-M2C-948-A

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L





LUKOIL GENESIS SPECIAL FE 0W-20

Synthetic "Fuel Efficiency" gasoline engine oil

LUKOIL GENESIS SPECIAL FE 0W-20 is new developed synthetic "Fuel Efficient" gasoline engine oil. It combines smooth running characteristics with a maximum fuel saving and highest possible power output of the engine and provides maximum oxidations stability of the engine oil. It is special developed product for Honda, Lexus, Mazda, Nissan, Suzuki, Toyota. Please note OEM recommendations for the application of SAE 0W-20 engine oils!



Approvals

API SN/SN-RC
ILSAC GF-5

Meets requirements Quality level

Fiat 9.55535-CR1

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

LUKOIL GENESIS SPECIAL 5W-40

Synthetic fuel economy engine oil for gasoline and diesel engines

LUKOIL GENESIS SPECIAL 5W-40 is a synthetic fuel economy engine oil for gasoline and diesel engines without diesel particulate filter. It can be used in nearly every older car, gasoline and diesel engines without DPF, especially for BMW, Mercedes Benz, Opel and Volkswagen. The advanced additive technology offers the greatest level of lubrication, it reduces fuel consumption and provides long oil drain intervals.

Approvals

API SN	MB-Approval 226.5	VW 502 00/
BMW LL-01	MB-Approval 229.5	505 00
Porsche A40	Renault RN 0700/0710	

Meets requirements Quality level

ACEA A3/B3	Fiat 9.55535-Z2
ACEA A3/B4	MB 229.3
API CF	Opel GM-LL-B-025
Fiat 9.55535-N2	PSA B71 2296



Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

LUKOIL GENESIS ADVANCED 5W-40

Semi synthetic multigrade engine oil

LUKOIL GENESIS ADVANCED 5W-40 is a semi synthetic engine oil for gasoline and diesel engines without a diesel particulate filter. It permits severe operating and traffic conditions and thereby guarantees full reliability. Its stable summer viscosity reaches every part of the engine and guarantees highest security during urban stop-and-go traffic. It is qualified for turbo-charged engines and catalytic converters.



Approvals

API SN

MB-Approval 229.3

VW 502.00/505.00

Meets requirements Quality level

ACEA A3/B3

ACEA A3/B4

API CF

Fiat 9.55535-H2/M2/N2

PSA B71 2296

Renault RN 0700/0710

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

LUKOIL GENESIS ADVANCED 10W-40

Semi synthetic multigrade engine oil

LUKOIL GENESIS ADVANCED 10W-40 is a semi synthetic multigrade engine oil for today's gasoline and diesel engines without diesel particulate filter. Its stable summer viscosity reaches every part of the engine and guarantees highest security during urban stop-and-go traffic. It is qualified for turbo-charged engines and catalytic converters.

Approvals

API SN

MB-Approval 229.3

Meets requirements Quality level

ACEA A3/B3

ACEA A3/B4

API CF

Fiat 9.55535-G2

Opel GM-LL-A-025

Opel GM-LL-B-025

PSA B71 2294

PSA B71 2300

VW 502 00/505 00



Packs: 1L, 4L, 5L, 20L, 60L,
205L, 1000L



LUKOIL GENESIS SPECIAL RACING 10W-60

Fully synthetic high performance top level engine oil

LUKOIL GENESIS SPECIAL RACING 10W-60 is a fully synthetic high performance top level engine oil. Specially developed for 4-stroke-engines operating under extremely severe conditions of racing competitions, it offers optimum lubrication even at highest engine revolutions and maximum temperatures. It is suitable for use in highest performance engines and meets the demands of professional racing competitions.



Meets requirements Quality level

API SN

Packs: 1L, 4L, 5L, 20L, 60L, 205L, 1000L

Which motor oil do you need?

Car Brand	Motor Type/Gasoline Engine/Diesel Engines without particle filter	Motor Type/Gasoline Engine (Euro 6)/ Diesel Engines with particle filter
Alfa Romeo	LUKOIL GENESIS SPECIAL 5W-40 ¹	LUKOIL GENESIS SPECIAL C3 5W-40 ²
Audi	LUKOIL GENESIS SPECIAL VN 5W-30	LUKOIL GENESIS SPECIAL VN 5W-30
BMW	LUKOIL GENESIS SPECIAL C3 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30
Chevrolet/Daewoo	LUKOIL GENESIS SPECIAL C3 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30
Chrysler/Jeep	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30 ⁷
Citroen	LUKOIL GENESIS SPECIAL C2 5W-30 ³	LUKOIL GENESIS SPECIAL C2 5W-30 ⁶
Dacia	LUKOIL GENESIS SPECIAL 5W-40	LUKOIL GENESIS SPECIAL C4 5W-30 ⁴
Fiat	LUKOIL GENESIS SPECIAL 5W-40 ⁷	LUKOIL GENESIS SPECIAL C3 5W-30 ^{2,4,7}
Ford**	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL A5/B5 5W-30 ^{4,7}
Honda*	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30 ⁶
Hyundai	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30
Jaguar	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C1 5W-30
KIA	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30
Land Rover	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C1 5W-30
Mazda*	LUKOIL GENESIS SPECIAL A5/B5 5W-30 ³	LUKOIL GENESIS SPECIAL C1 5W-30 ⁴
Mercedes Benz	LUKOIL GENESIS SPECIAL 5W-40	LUKOIL GENESIS SPECIAL C3 5W-30/5W-40
Mini	LUKOIL GENESIS SPECIAL C3 5W-40	LUKOIL GENESIS SPECIAL C3 5W-40
Mitsubishi****	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30 ²
Nissan	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C4 5W-30 ⁴
Opel	LUKOIL GENESIS SPECIAL C3 5W-30 ³	LUKOIL GENESIS SPECIAL C3 5W-30
Peugeot	LUKOIL GENESIS SPECIAL 5W-40	LUKOIL GENESIS SPECIAL C2 5W-30 ⁶
Porsche	LUKOIL GENESIS SPECIAL C3 5W-40	LUKOIL GENESIS SPECIAL VN 5W-30
Renault	LUKOIL GENESIS SPECIAL C3 5W-40	LUKOIL GENESIS SPECIAL C4 5W-30 ⁴
Seat	LUKOIL GENESIS SPECIAL VN 5W-30	LUKOIL GENESIS SPECIAL VN 5W-30 ⁴
Skoda	LUKOIL GENESIS SPECIAL VN 5W-30	LUKOIL GENESIS SPECIAL VN 5W-30 ⁴
Smart	LUKOIL GENESIS SPECIAL 5W-40 ⁴	LUKOIL GENESIS SPECIAL C3 5W-30
Subaru*	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30 ^{5,6}
Suzuki*	LUKOIL GENESIS SPECIAL 5W-40	LUKOIL GENESIS SPECIAL C3 5W-30 ^{5,6}
Toyota*	LUKOIL GENESIS SPECIAL A5/B5 5W-30	LUKOIL GENESIS SPECIAL C3 5W-30 ^{2,6}
VW	LUKOIL GENESIS SPECIAL VN 5W-30	LUKOIL GENESIS SPECIAL VN 5W-30 ⁴
Volvo***	LUKOIL GENESIS SPECIAL A5/B5 0W-30	LUKOIL GENESIS SPECIAL A5/B5 0W-30 ⁴

Further information for additional car brands are available under the LUKOIL Oilfinder
www.lukoil-lubricants.eu or cristina.lungu@lukoil-lubricants.ro

Attention:

¹⁾ Alfa Romeo/Lancia alternative: LUKOIL GENESIS SPECIAL RACING 10W-60

²⁾ by regulation ACEA C2 or Fiat 9.55535 S1/S3: LUKOIL GENESIS SPECIAL C2 5W-30

³⁾ LUKOIL GENESIS SPECIAL 5W-40 for models built before 2000

⁴⁾ by regulation ACEA C3: LUKOIL GENESIS SPECIAL C3 5W-30 or 5W-40
 (Ford WSS M2C-917-A; Fiat 9.55535 S2; VW 502 00)

⁵⁾ by regulation ACEA A5/B5 5W-30: LUKOIL GENESIS SPECIAL A5/B5 5W-30

⁶⁾ by regulation PSA B71 2312 or ACEA C2 0W-30: LUKOIL GENESIS SPECIAL PS 0W-30

⁷⁾ by regulation FORD WSS M2C-950A (Euro 6): LUKOIL GENESIS SPECIAL FD 0W-30
 (also suitable where Fiat 9.55535-GS1 and DS-1 is required)

*API SM/SN, SAE 0W-20: Recommendations by Honda, Mazda, Suzuki, Subaru, Toyota: LUKOIL GENESIS SPECIAL FE 0W-20

** Ford EcoBoost-Motoren: Recommendation LUKOIL GENESIS SPECIAL FD 5W-20

*** Volvo VCC RBS0-2AE (ACEA C2) 0W-20: Recommendation LUKOIL GENESIS SPECIAL VL 0W-20

**** Mitsubishi with VW Motor: Recommendation LUKOIL GENESIS SPECIAL VN 5W-30

Considering continuous improvement process of product formulations which is highly influencing technical specifications (approvals and meets requirements), please always check TDS for latest version of specifications!*

The above recommendations are a summary to serve as an initial orientation when choosing LUKOIL motor oils. Please always refer to information in the car manufacturer's service documents, as only these recommendations are binding.

LUKOIL
GENESIS
MOTOR OIL



LUKOIL LUBRICANTS EAST EUROPE