

# **AUTOMOTIVE LUBRICANTS**

**TRANSMISSION OILS FOR  
PASSENGER AND COMMERCIAL  
VEHICLES**



ALWAYS MOVING FORWARD.

 **LUKOIL**

## ■ TRANSMISSION

LUKOIL ATF SYNTH MULTI	
LUKOIL ATF SYNTH ASIA	
LUKOIL ATF SYNTH MN Z3	6
LUKOIL ATF SYNTH VI	
LUKOIL ATF	
LUKOIL ATF IID	7
LUKOIL CVTF	
LUKOIL DCTF	8
LUKOIL TRANSMISSION MN Z5 75W-80	
LUKOIL TRANSMISSION SYNTH MPV 75W-80	
LUKOIL TRANSMISSION SYNTH BSX 75W-90	9
LUKOIL TRANSMISSION UNI S 75W-90	
LUKOIL TRANSMISSION UNI 80W-90	
LUKOIL TRANSMISSION MP 75W-80	
LUKOIL TRANSMISSION MP 85W-90	10
LUKOIL TRANSMISSION TM-4 75W-90	
LUKOIL TRANSMISSION TM-4 80W-90	
LUKOIL TRANSMISSION LS 85W-90	11
LUKOIL TRANSMISSION B 80W-90	
LUKOIL TRANSMISSION B 85W-90	
LUKOIL TRANSMISSION TM-5 75W-90	12
LUKOIL TRANSMISSION TM-5 80W-90	
LUKOIL TRANSMISSION TM-5 85W-90	
LUKOIL TRANSMISSION TM-5 80W-140	
LUKOIL TRANSMISSION TM-5 85W-140	13

\*Considering continuous improvement process of product formulations which is highly influencing technical specifications ( approvals and meet requirements ), please always check TDS for latest version of specifications!

# LUKOIL LUBRICANTS ENABLE RELIABLE MOBILITY FOR MILLIONS WORLDWIDE.


Lubricants are some of the most important component of our daily life – and yet they are rarely noticed. Safety and progress can only be guaranteed by high-quality products with long service lives that invisibly keep our dynamic world moving forward. This is precisely where our role begins.

Founded in 1991, LUKOIL is one of the leading global players in the industry of oil exploration, production, refining and marketing of petroleum products, operating on the principle of vertical integration of its activities, from oil wells to filling stations.

LUKOIL Lubricants Company (LLK-International), company within LUKOIL Group, is specialized in the production and marketing of lubricants, offering a comprehensive products range including Top-tier, Mid-tier and fighting grade products, wide range of PVL and CVL engine oils, transmission oils, gear oils, industrial oils, greases, covered by full range of automotive and industrial manufacturers' approvals. Product range includes over 700 products with over 1200 OEM Approvals. LUKOIL lubricants are sold in over 100 countries, on 5 continents, with yearly production of over 1 million metric tons.

What do you earn with us? Cost efficiency and improved operational cash flow through high quality products at competitive prices that we can ensure on time, LUKOIL having its own resources, extensive production, storage, distribution facilities concentrated in strategic locations, safety stocks being not a challenge.

Warranty of quality. Innovation and extra performance technology are guiding rules in our 6 Research & Development Centers in Tyumen, Volgograd, Perm, Izmir, Ploiesti, Hamina. All benefit from significant investments ensuring innovative wide range of products approved by leading car



manufacturers.

The main advantage of our factory is that the entire work of transferring raw materials in end products is performed based on Pigging-line technology, ensuring rigorous quality control to the entire process which is free of the errors appearing with traditional volumetric dosing. The Plant is operating according to ISO 9001:2015, ISO 14001:2015 and OHSAS 18001:2008, products being recognized by the global community of manufacturers.

Our laboratory is equipped with the latest generation measuring and testing equipment. The newest analytical methods specific to lubricating oils are applied by a staff which is highly qualified to perform tests, evaluate the results and validate test reports.

Reliable partner with extensive expertise and integrated services: personnel qualified according to the latest requirements in the field, Dedicated Key Account, Client Partner Service, comprehensive technical support from technical records to tender assistance, laboratory tests, oil monitoring, training sessions, marketing materials tailored to sales channels.

LUKOIL Lubricants takes its responsibility as a manufacturer of first-class, reliable lubricants extremely seriously. The company's products are used across a wide range of industries, ensuring the smooth functioning of vehicles as well as boats and agricultural machinery.

LUKOIL Lubricants are available in LUKOIL petrol stations and within our authorized dealers' network. For further details, please consult our website [www.lukoil-lubricants.ro](http://www.lukoil-lubricants.ro).

**QUALITY IS OUR STRENGTH.  
TRANSMISSIONS ARE OUR PASSION.**

**LUKOIL TRANSMISSION** was specially developed to ensure smooth operation over the entire service period. High-quality base oils and state-of-the-art additive technologies effectively minimize wear, oxidation and friction.

To give your vehicle the best, choose LUKOIL TRANSMISSION!

### QUALITY FROM EUROPE

In our state-of-the-art production facilities in Austria, in Finland and Romania, we are using first-class source materials. Our scientific experts also work continuously to improve our products to guarantee ever greater reliability and progress.

In this way, LUKOIL can supply customers around the world – even in the most demanding segment of fully synthetic, high-performance lubricants – with reliable and individual solutions for special applications.



**IT'S A MATTER OF TRUST.**



## LUKOIL ATF SYNTH MULTI

APPROVALS



SPECIFICATIONS

- High-quality, high-performance, synthetic, universal, automatic transmission fluid recommended for passenger and commercial vehicles;
- Was designed in respect of tough demands of leading world original equipment manufacturers and suitable for use in both of conventional and modern types of automatic transmission;
- Characterised by low viscosity temperature dependence (high viscosity index) and excellent ageing properties, demonstrates stable anti-friction properties and smooth shifting without vibration;
- Suited also to be used as power steering fluid;
- Provides extended clutch life;

**MAN** 339 L1/V2/  
Z2/Z11  
**MB-Approval**  
236.6/ 236.9  
**VOITH** H55.6336.XX  
**VOLVO** 97341  
**ZF** TE-ML  
04D/14B/20B/25B

**GM DEXRON IIIH**  
**Allison** C-4/TES-295/TES-389  
**Ford Mercon/Mercon V**  
**JASO** M315 1A  
**VOLVO** 97340



## LUKOIL ATF SYNTH ASIA

SPECIFICATIONS

- High-quality, high-performance, synthetic, universal, automatic transmission fluid recommended for modern passenger cars;
- Specially designed to meet the requirements of Asian automatic transmissions (Jatco, Aisin Warner etc.);
- Recommended for use in 4-, 5- and some 6-speed automatic transmissions of passenger cars Japanese and Korean car manufacturers (Toyota, Mitsubishi, Nissan, Honda and many others);
- Guarantees long service life due to excellent thermal-oxidative stability and provides excellent anti-shudder durability;

**GM DEXRON IIIH**  
**Allison** C-4  
**Ford Mercon**  
**Honda** Z-1  
**Hyundai** ATF  
**JASO** M315 1A  
**JWS** 3309  
**Kia** ATF  
**Mazda** ATF D-III/M-3  
**Mitsubishi** SP-II/SP-III  
**MOPAR** ATF +2/+3/+4  
**Nissan** Matic D/J  
**Ssang Yong** DSIH 6P805  
**Toyota** Type T-III/ T-IV



## LUKOIL ATF SYNTH MN Z3

APPROVALS



SPECIFICATIONS

- High-quality, high-performance, synthetic, universal, automatic transmission fluid developed for passenger and commercial vehicles;
- Specially designed for and with official approvals of MAN, VOITH and ZF, allowing the use of fluid with an extended drain interval in the warranty and post warranty period;
- Guarantees low viscosity temperature dependence (high viscosity index) and excellent ageing properties;
- Provides the longest oil change intervals;
- Ensures stable glide properties, enables soft shifting without vibration;

**MAN** 339 Type V2/  
Z3  
**VOITH** H55.6336.XX  
**ZF** TE-ML  
04D/14C/16M/  
16S/20C/25C

**GM DEXRON IIIH/IIIG/IID**  
**Allison** C-4/TES-295/TES-389  
**Ford Mercon** V/ Mercon  
**JASO** M315 1A  
**MAN** 339 Type L1/Z12  
**MB** 236.6  
**RBAS** TE-ML 09  
**VOLVO** 97341  
**ZF** TE-ML 11A/11B/21L

# TRANSMISSION

## TRANSMISSION OILS FOR PASSENGER AND COMMERCIAL VEHICLES



### LUKOIL ATF SYNTH VI

#### SPECIFICATIONS

- High-quality, synthetic, automatic transmission fluid, developed for passenger and commercial vehicles;
- Specially designed to meet the requirements of Asian automatic transmissions Jatco Aisin Warner and other European manufacturers;
- Provides low viscosity temperature dependence and outstanding protection against sludge formation;
- Guarantees no negative impact on seal materials;
- Ensures improved anti-corrosion properties, reliably protects all system components;

**Bentley** PY112995PA  
**BMW/MINI** 83 22 0 142 516/83 22 0 163 514/83 22 0 397 114/83 22 2152426  
**Chrysler** 05127382AA/68043742AA/68157995AA  
**Ford** Mercon LV/SP  
**GM** 88863400/88863401; **GM** AW 1  
**Honda** DW-1  
**Hyundai/Kia** NWS-9638 T-5  
**Hyundai/Kia** P/N 040000C90SG  
**Hyundai/Kia** SPH-IV; Hyundai/Kia SP-IV  
**Jaguar Fluid** 8432; JASO M315 1A LV  
**Land Rover** LR022460/TYK500050  
**Maserati** 231603; Mazda FZ  
**MB** 236.12/236.14/236.15/236.41  
**Mitsubishi** ATF-J3; **Nissan** Matic S  
**Porsche** 000 043 304 00  
**Saab** 93 165 147 - AW-1  
**Toyota** Type WS  
**Volkswagen/Audi** G 052 533/G 055 005 (-A,A2)/G 055 162(A2/A6)/G 055 540(A2)/G 060 162(A1/A2/A6)

#### APPROVALS

**GM DEXRON VI**



### LUKOIL ATF



#### APPROVALS

#### SPECIFICATIONS

- High-quality, semi-synthetic, universal, automatic transmission fluid, developed for passenger and commercial vehicles;
- Suited to be used as a power transmission medium in automatic transmissions of cars, buses and all-terrain vehicles;
- Provides excellent viscosity and temperature behaviour;
- Guarantees excellent ageing and foaming behaviour, very good flow properties at low temperatures and reliable protection against wear and corrosion;

**BELAZ**  
**MAN** 339 Type L1/  
V1/Z1  
**VOITH** H55.6335.XX  
**ZF** TE-ML 04D/14A

**GM DEXRON IIII/IIID**  
**Allison** C-4  
**Caterpillar** TO-2  
**MAN** 339 Type D/F  
**RBAS** TE-ML 09  
**VOLVO** 97340/ 97341  
**ZF** TE-ML 11A/11B/17C



### LUKOIL ATF IID

#### APPROVALS

#### SPECIFICATIONS

- High-quality, mineral, universal, automatic transmission fluid for passenger and commercial vehicles;
- Designed for automatic gear-boxes of GM (OPEL, CHEVROLET, VAUXHALL etc.), VW and other vehicles according to manufacturer's specification;
- Suited for use as a power transmission fluid in torque converters, power steering and hydraulic clutches;
- Provides high shear stability, extremely high oxidation stability, and guarantees an effective corrosion protection and the lowest possible foaming characteristics;

**MAN** 339 Type V1/  
Z1  
**MB-Approval** 236.6  
**Voith** H55.6335.XX  
**ZF** TE-ML  
04D/11A/14A

**GM DEXRON IID**  
**Allison** C-4  
**Caterpillar** TO-2  
**Ford** MERCON  
**MAN** 339 Type L2  
**RBAS** TE-ML 09  
**Volvo** 97335  
**ZF** TE-ML 17C/21L



## LUKOIL CVTF

### SPECIFICATIONS

- High-quality, high-performance, synthetic, CVT fluid designed for Continuously Variable automatic transmissions, compatible with most original CVT fluids for passenger and commercial vehicles;
- Recommended for use in both belt-CVTs and chain-CVTs, equipped with either torque converter or wet start clutch;
- Provides excellent anti-foaming properties and ensures no negative impact on seal materials;
- Guarantees improved anti-corrosion properties, reliably protects all system components;
- Provides optimal glide properties for wet clutches and belt pulley pairs;

**Audi** Multitronic  
**Chery** CVT  
**Daihatsu** AMMIX CVTF DFE/DC/DFC/TC  
**Dodge** CVTF+4  
**Chrysler** CVTF+4  
**Jeep/Mopar** CVTF+4  
**GM/Saturn** DEX-CVT  
**Honda** HMMF/HCF2/CVT  
**Mitsubishi** CVTF Diaqueen J1/J4  
**Nissan** NS-1/NS-2/NS-3  
**Subaru** iCVT iCVT FG/ECVT  
**Subaru** Lineartronic CVT/CVT II Fluid  
**Suzuki** CVT 1/1V/2  
**Suzuki** CVTF TC/ CVTF 3320  
**Toyota** CVTF TC/FE  
**Volkswagen/Audi** G 052 180/G 052 516



## LUKOIL DCTF

### SPECIFICATIONS

- High-quality, synthetic, dual clutch automatic transmission fluid, designed for VW, Seat, Audi and others;
- Dual clutch transmission recommended oil for diverse applications;
- Provides optimal wearing protection and ensures silky smooth shifting;
- Guarantees excellent anti-foaming properties and no negative impact on seal materials;
- Provides improved anti-corrosion properties, reliably protects all system components;

**BMW** 83 22 2 147 477/82 22 2 148 578/83 22 2 148 579  
**Ford** WSS-M2C936-A  
**MB** 236.21  
**Mitsubishi** Dia-Queen SSTF-1  
**PSA** 9734.S2  
**VOLVO** 1161838/ 1161839  
**VW** TL 052 182/052 529

# WHICH TRANSMISSION OIL DO I NEED?

Information on other car brands can be obtained in the LUKOIL Oilfinder at [www.lukoil-lubricants.eu](http://www.lukoil-lubricants.eu) or requested by email: [technical.support@lukoil-lubricants.ro](mailto:technical.support@lukoil-lubricants.ro)

# TRANSMISSION

## TRANSMISSION OILS FOR PASSENGER AND COMMERCIAL VEHICLES



### LUKOIL TRANSMISSION MN Z5 75W-80

#### SPECIFICATIONS

- High-quality, synthetic, multigrade transmission/gear oil;
- Specially developed for use in heavily loaded manual and automatic transmissions operating under the harshest conditions;
- Particularly suitable for ZF commercial vehicle transmissions with intarder;
- Guarantees the longest oil change intervals and reduces fuel consumption;

API GL-4+  
 MAN 341 Type Z5  
 MB 235.28  
 VOITH Class B  
 VOLVO 97307  
 ZF TE-ML 01E/02E/16P



### LUKOIL TRANSMISSION SYNTH MPV 75W-80

#### APPROVALS

#### SPECIFICATIONS

- High-quality, synthetic, multigrade transmission oil for manual gearboxes;
- Specially manufactured by and for ZF and VOLVO, suited for commercial vehicles;
- Guarantees extended drain intervals, higher oxidation stability and improved low temperature properties;
- Provides improved anti-corrosion properties, ensure advanced protection to all system components;

MAN 341 Type Z4  
 VOLVO 97307  
 ZF TE ML  
 01L/02L/16K

API GL-4  
 DAF  
 IVECO 18-1807 Classe MGS1  
 MAN 341 Type E3  
 Renault  
 VOLVO 97305  
 ZF TE ML 02D/08



### LUKOIL TRANSMISSION SYNTH BSX 75W-90

#### APPROVALS

#### SPECIFICATIONS



- High-quality, high-performance, synthetic, fuel-efficient, multigrade oil for heavy duty transmissions and rear axles of commercial vehicles;
- Developed in accordance with the latest requirements of Mercedes Benz and can be used in units where recommended to use MB Approval 235.8 oil;
- Designed for maximum loads, giving the axle transmission oil extreme ageing resistance;
- Guarantees the longest oil change intervals;
- Provides state-of-the-art, high-performance antiwearing additives, that guarantees a long transmission lifespan;

MAN 341 Type S1  
 MB-Approval 235.8  
 Scania STO 1:0  
 VOLVO 97312

API GL-5  
 MAN 341 Type Z2  
 MIL-PRF-2105 E  
 ZF TE-ML02B/05A/12L/12N/  
 16F/17B/21A/19C



## LUKOIL TRANSMISSION UNI S 75W-90

APPROVALS



SPECIFICATIONS

- High-quality, high-performance, synthetic, fuel-efficient, multigrade universal transmission oil;
- Developed for synchronised and unsynchronised manual transmissions and axle transmissions;
- Guarantees a reduction in fuel consumption;
- Characterised by high ageing resistance and long service periods;
- Provides a neutral behaviour with respect to non-ferrous metals and elastomers;

**MAN** 341 Type Z2/  
S1  
**ZF** TE-ML 02B/  
05B/12L/12N/  
16F/17B/19C/21B

**API** GL-4/GL-5/MT-1  
**MAN** 341 Type E2/E3  
**MAN** 342 Type M3  
**MB** 235.0/235.8  
**MIL-PRF-2105E**  
**SAE** J2360  
**Scania** STO 1:0  
**VOLVO** 97312



## LUKOIL TRANSMISSION UNI 80W-90

APPROVALS



SPECIFICATIONS

- High-quality, high-performance, mineral, multigrade universal transmission oil for manual transmissions and axle transmissions;
- Recommended for most manual transmissions and axles installed in cars of leading manufacturers (MAN, ZF etc.);
- Provides high ageing-resistance and long service periods;
- Guarantees high temperature stability and provides improved performance and the possibility of extended drain intervals;

**MAN** 341 Type Z2  
**MAN** 342 Type M2  
**ZF** TE-ML  
02B/05A/12L/12M/  
16B/17H/19B/21A

**API** GL-4/GL-5/MT-1  
**ARVIN MERITOR** 076-D  
**MAN** 341 Type E2  
**MB** 235.0  
**MIL-PRF-2105E**  
**SAE** J2360  
**Scania** STO 1:0  
**ZF** TE-ML  
05B/07A/08/16C/19C/21B



## LUKOIL TRANSMISSION MP 75W-80

SPECIFICATIONS

- High-quality, synthetic, fuel-efficient, multigrade transmission oil;
- Specially developed for modern manual transmission and transaxle units of passenger cars and light utility vehicles;
- Provides optimal wearing and corrosion protection;
- Ensures high ageing stability and long lifespan;
- Guarantees extended drain intervals, high oxidation stability and improved low temperature properties;

**API** GL-3/GL-4 (tranself TRZ)/GL-4+ (tranself NFI/ NFP/ TRJ)/GL-5(tranself TRT)  
**Audi/Seat/Skoda/VW** G 009 317/G 50/G 052 171/ G 052 178/G 052 512/G 052 726/G 052 527 A2/G 060 726/G 070 726 A2  
**BMW** MTF LT-2/LT-3/LT-4  
**Fiat** 9.5555.0 – MZ1  
**Ford** WSD-M2C200-C/ -D2  
**GM** 1940182/1940764/1940768  
**Honda** MTF/MTF-II/MTF-III  
**Nissan** MT-XZ/MT-XZ TL (JR Type)  
**PSA** B71 2330  
**Special Gear** Oil MTF 94  
**Special Honda** MTF & MTF-II  
**VOLVO** 97308,97309



## LUKOIL TRANSMISSION MP 85W-90

APPROVALS

SPECIFICATIONS

- High-quality, mineral, multigrade transmission oil;
- Specially designed primarily for manual transmissions;
- Provides optimal wearing and corrosion protection;
- Ensures high ageing stability and long lifespan;
- Guarantees extended drain intervals, high oxidation stability and improved low temperature properties;

**MB-Approval** 235.1  
**ZF** TE-ML  
16A/17A/19A

**API** GL-4  
**MIL-L-2105**  
**ZF** TE-ML 08

# TRANSMISSION

## TRANSMISSION OILS FOR PASSENGER AND COMMERCIAL VEHICLES



### LUKOIL TRANSMISSION TM-4 75W-90

	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>High-quality, semi-synthetic, multigrade gear oils for manual transmissions of passenger cars and commercial vehicles;</li> <li>Best suited for use in manual transmissions, transaxles and transfer cases of passenger cars, trucks and buses, where API GL-4 performance level is recommended;</li> <li>Provides improved oxidation resistance and low temperature properties due to the involvement of synthetic base oils;</li> <li>Ensures high extreme pressure properties and optimum protection against wear;</li> </ul>	JSC "AVTOVAZ"	API GL-4 ZF TE ML 08/17A



### LUKOIL TRANSMISSION TM-4 80W-90

	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>High-quality, mineral, multigrade gear oils for manual transmissions of passenger cars and commercial vehicles;</li> <li>Best suited for use in manual transmissions, transaxles and transfer cases of passenger cars, trucks and buses, where API GL-4 performance level is recommended;</li> <li>Provides improved oxidation resistance and low temperature properties due to the involvement of synthetic base oils;</li> <li>Ensures high extreme pressure properties and optimum protection against wear;</li> </ul>	Rosscor ThyssenKrupp Industrial Solutions JSC "AVTOVAZ"	API GL-4 MB 235.1 ZF TE ML 08/16A/17A/19A



### LUKOIL TRANSMISSION LS 85W-90

	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>High-quality, mineral, universal multigrade gear oil suited for manual transmissions with hypoid gears;</li> <li>Specially developed for limited slip differentials, gearboxes and final drives, where API GL-5 lubricants with Limited Slip properties are required;</li> <li>Due to state-of-the-art antiwear additives, provides a reliably constant coefficient of friction;</li> <li>Guarantees increased bearing capacity, and perfect protection of the transmission from wear and scoring;</li> </ul>	ZF TE-ML 05C/12C/21C	API GL-5 ZF TE-ML 16E



## LUKOIL TRANSMISSION B 80W-90

### SPECIFICATIONS

- High-quality, mineral, multigrade heavy-duty gear oil developed primarily for axle transmissions of commercial vehicles;
- Guarantees hardest loads levels and is suitable for hypoid transmissions with extreme axial offset in vehicles and machinery;
- Provides good ageing stability;
- Guarantees optimal wearing and corrosion protection, ensures a long transmission lifespan;

**API GL-5**  
**MAN 342 Type M1**  
**MB 235.0**  
**MIL-L-2105D**  
**VOITH 3.325-339**  
**VOLVO 97310**  
**ZF TE-ML 07A/08/16B/17B/19B/21A**



## LUKOIL TRANSMISSION B 85W-90

### APPROVALS

### SPECIFICATIONS

- High-quality, mineral, multigrade heavy-duty gear oil developed primarily for axle transmissions of commercial vehicles;
- Guarantees hardest loads levels and is suitable for hypoid transmissions with extreme axial offset in vehicles and machinery;
- Provides good ageing stability;
- Guarantees optimal wearing and corrosion protection, ensures a long transmission lifespan;

**MB-Approval 235.0**  
**ZF TE-ML**  
**16C/17B/19B/21A**

**API GL-5**  
**FENDT**  
**FORD M2C-94A**  
**MAN 342 Type M1**  
**NH 520 A**  
**STEYR G**  
**TATRA TDS 80/32**  
**VOITH 3.325-339**  
**VOITH VSN 6086/19/20**  
**ZF TE-ML 07B/08**



## LUKOIL TRANSMISSION TM-5 75W-90

### APPROVALS

### SPECIFICATIONS

- High-quality, semi-synthetic, universal, multigrade gear oils for manual transmissions with hypoid gears of passenger cars and commercial vehicles;
- Recommended for manual gearboxes, transfer cases, hypoid differentials and oil filled power steering of cars and trucks, where API GL-5 performance level is recommended;
- Provides increased bearing capacity, perfectly protects transmission from wear and scoring;

**JSC "AVTOVAZ"**

**API GL-5**  
**MIL-L-2105D**  
**ZF TE ML 07A/08**

# TRANSMISSION

## TRANSMISSION OILS FOR PASSENGER AND COMMERCIAL VEHICLES



### LUKOIL TRANSMISSION TM-5 80W-90

	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"><li>High-quality, mineral, universal, multigrade gear oils for manual transmissions with hypoid gears of passenger cars and commercial vehicles;</li><li>Recommended for manual gearboxes, transfer cases, hypoid differentials and oil filled power steering of cars and trucks, where API GL-5 performance level is recommended;</li><li>They have increased bearing capacity, perfectly protect transmission from wear and scoring;</li></ul>	<b>JSC "AVTOVAZ"</b> <b>ZF TE-ML 05A/12E</b> <b>ZF TE-ML 16B/17B</b> <b>ZF TE-ML 19B/21A</b>	<b>API GL-5</b> <b>MAN 342 Type M2/M1</b> <b>MIL-L-2105D</b> <b>ZF TE-ML 07A/08/16C</b>



### LUKOIL TRANSMISSION TM-5 85W-90

	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"><li>High-quality, mineral, universal, multigrade gear oils for manual transmissions with hypoid gears of passenger cars and commercial vehicles;</li><li>Recommended for manual gearboxes, transfer cases, hypoid differentials and oil filled power steering of cars and trucks, where API GL-5 performance level is recommended;</li><li>They have increased bearing capacity, perfectly protect transmission from wear and scoring;</li></ul>	<b>JSC "AVTOVAZ"</b> <b>Ferrit</b> <b>ZF TE-ML</b> <b>16B/17B/19B/21A</b>	<b>API GL-5</b> <b>MAN 342 Type M2/M1</b> <b>MIL-L-2105D</b> <b>ZF TE-ML 05A/07A</b> <b>ZF TE-ML 08/12E/16C</b>



### LUKOIL TRANSMISSION TM-5 80W-140

	SPECIFICATIONS
<ul style="list-style-type: none"><li>High-quality, mineral, universal, multigrade gear oils for manual transmissions with hypoid gears of passenger cars and commercial vehicles;</li><li>Recommended for manual gearboxes, transfer cases, hypoid differentials and oil filled power steering of cars and trucks, where API GL-5 performance level is recommended;</li><li>They have increased bearing capacity, perfectly protect transmission from wear and scoring;</li></ul>	<b>API GL-5</b> <b>MIL-L-2105D</b> <b>VOLVO 97310</b> <b>ZF TE-ML 16D/21A</b>



### LUKOIL TRANSMISSION TM-5 85W-140

	SPECIFICATIONS
<ul style="list-style-type: none"><li>High-quality, mineral, universal, multigrade gear oils for manual transmissions with hypoid gears of passenger cars and commercial vehicles;</li><li>Recommended for manual gearboxes, transfer cases, hypoid differentials and oil filled power steering of cars and trucks, where API GL-5 performance level is recommended;</li><li>They have increased bearing capacity, perfectly protect transmission from wear and scoring;</li></ul>	<b>API GL-5</b> <b>MIL-L-2105D</b> <b>VOLVO 97310</b> <b>ZF TE-ML 16D/21A</b>



## **LUKOIL LUBRICANTS EAST EUROPE**

Ploiești, Prahova, Str. Mihai Bravu,  
Nr. 235, 100410, Romania, Gate 5  
[www.lukoil-lubricants.ro](http://www.lukoil-lubricants.ro)  
Version: 1.0, July 2020

### **MORE INFORMATION AVAILABLE FROM:**

#### **ROMANIA**

Phone: +4 0244 504 802

Email: [office@lukoil-lubricants.ro](mailto:office@lukoil-lubricants.ro)

#### **BULGARIA**

Phone: +359 886 551 429

Email: [office.llee.bg@eu.lukoil.com](mailto:office.llee.bg@eu.lukoil.com)



**LUKOIL**  
**IN MY HEART**



[WWW.LUKOIL-LUBRICANTS.RO](http://WWW.LUKOIL-LUBRICANTS.RO)